

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILIN	NG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/697,528	10/30/2003		Robert P. Sullivan	390-011338-US(PAR)	8147	
2512	7590	03/07/2006		EXAMINER		
PERMAN & 425 POST RO			FOX, CHARLES A			
FAIRFIELD,		4	ART UNIT	PAPER NUMBER		
			3652			

DATE MAILED: 03/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summer:	10/697,528	SULLIVAN ET AL.			
Office Action Summary	Examiner	Art Unit			
	Charles A. Fox	3652			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on This action is FINAL. 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-44 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-10 and 12-44 is/are rejected. 7) Claim(s) 11 is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 30 October 2003 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	a) accepted or b) objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date S. Patent and Trademark Office.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Drawings

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because:

the reference numerals and letters are illegible in some figures as they appear to be hand lettered;

figure 1 is of poor quality and should be redrawn.

Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Specification

The abstract of the disclosure is objected to because it is longer than 150 words.

Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 30 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The container is disclosed as being captured within the widthwise confines of the track. As such it may not move in a crossing direction relative to said track. It is believed that applicant wished to claim that the container may move

along a crosswise section of track via a junction. This is how the claim is treated in the art rejection below.

Claim 43 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 43 is dependent upon itself and as such is indefinite. It appears the claim is meant to be dependent upon claim 42 and is treated as such in the art rejections below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claim 44 is rejected under 35 U.S.C. 102(a) as being anticipated by Bonora et al. Bonora et al. US 6,494,308 discloses a material handling system capable of handling a container with at least one wafer therein in a controlled environment to a processing device, said device comprising:

a conveyor transport section (10) including a drive track (12);

track elements (42) interfacing with a wafer container (8) for diriving container along said tracks;

wherein the track sections are modular and adapted to be joined together to form an extended track;

wherein each module has at least one of the track elements therteon.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1,15-18,20,34,35,39,40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bonora et al. in view of Lin et al. Regarding claims 1,17,18,20,34 and 39,40 Bonora et al. US 6,494,308 teaches a wafer process system comprising:

at least one processing tool for processing semiconductor wafers;

a container (8) for holding at least one wafer therein for transport to and from the processing tool;

a transport section (10) for connecting the processing tool with other devices within a fabrication facility;

the transport section is not vehicle based and has tracks (12,14) which directly interface with the container for movably supporting the container, and allowing the container to move relative to the various devices in the facility;

wherein the tracks have a motor (48) therein for aligning the container with various track sections and devices in the facility. Bonora et al. do not teach an overhead transport system being used in their facility. Lin et al. US 2003/0198540 teaches a wafer processing facility comprising:

at least two stocking devices (30) each with an input/output of port;

Art Unit: 3652

a first overhead transport system for moving wafer containers (44) about the facility;

a second transport system (52) for moving containers between the stockers;

wherein said first transport system comprises a vehicle (36) that runs along a first track system (38);

wherein the second transport system has a means for aligning a container held by either transport system with the opposing transport system;

wherein the two transport sections are parallel at portions of their runs. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the device taught by Bonora et al. with the overhead transport as taught by Lin et al. in order to allow two types of transport to service each device in the fabrication plant without interfering with each other while maintaining a cooperative arrangement such that bottle necks can be more readily avoided in the facility, thereby increasing throughput of the system.

Regarding claims 15 and 16 Bonora et al. further teach the transport system as having at least one shunt portion that can acts as a buffer for the containers on the track.

Regarding claim 35 Bonora et al. further teach that the track has intermediate portions remote from end portions of the track.

Regarding claim 41 Bonora et al. also teach the conveyor tacks as having intermediate portions with connections adapted to be joined together to form an adaptable overall transport system.

Regarding claim 42 Bonora et al. further teach a plurality of sensors (52) for sensing the position of a plurality of containers as they move along the conveyor.

Page 6

Claims 2-10 and 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bonora et al. and Lin et al. as applied to claim 1 above, and further in view of Belna. Regarding claims 2-10 and 12 Bonora et al. and Lin et al. teach the limitations of claim 1 as above, they do not teach the drive means for the second conveyor as being a linear drive. Belna US 4,624,617 teaches a transport system for wafers comprising:

a first tracked section (10) for moving wafers therealong;

said tracked section serving a plurality of process devices for processing wafers; said track comprising:

a rail (28) for guiding a wafer carrier (20) therealong;

said carrier being driven by a solid state brushless linear motor comprising:

a drive coil (40) mounted to said track;

at least one permanent magnet (42) conventionally mounted to said wafer carrier;

such that energizing said coil will move said carrier bidirectionally along said track. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the device taught by Bonora et al. with a linear drive as taught by Belna in order to move the carrier while at the same time limiting the amount

of wear debris generated thereby making it easier to maintain the cleanliness standards of the fabrication facility at acceptable levels.

Regarding claims 13 and 14 Bonora et al. further teaches moving the wafer carrier bidirectionally along the track along at least two different axes which are crosswise to one another. See figure 2.

Claims 21 -26 and 28-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bonora et al. in view of Belna. Regarding claims 21-25 Bonora et al. teaches at least one processing tool for processing semiconductor wafers;

a container (8) for holding at least one wafer therein for transport to and from the processing tool;

said container comprising a frame for securing the wafer therein and engagement surfaces for allowing the container to be captured and carried by another transport vehicle;

a transport section (10) for connecting the processing tool with other devices within a fabrication facility;

the transport section is not vehicle based and has tracks (12,14) which directly interface with the container for movably supporting the container, and allowing the container to move relative to the various devices in the facility;

wherein the tracks have a motor (48) therein for aligning the container with various track sections and devices in the facility. Bonora does not teach a portion of the motor being mounted on the container. Belna teaches a transport system for wafers comprising:

a first tracked section (10) for moving wafers therealong;

said tracked section serving a plurality of process devices for processing wafers;

said track comprising:

a rail (28) for guiding a wafer carrier (20) therealong;

said carrier being driven by a solid state brushless linear motor comprising:

a drive coil (40) mounted to said track;

at least one permanent magnet (42) conventionally mounted to said

wafer carrier;

such that energizing said coil will move said carrier bidirectionally along said track. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the device taught by Bonora et al. with a linear drive as taught by Belna in order to move the carrier while at the same time limiting the amount of wear debris generated thereby making it easier to maintain the cleanliness standards of the fabrication facility at acceptable levels.

In regards to claims 26 and 30 the portion of the container taught by Bonora that reacts to the drive wheels is adapted to move the container along at least two crosswise axes.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bonora et al. and Belna as applied to claim 21 above, and further in view of Lin et al. Bonora et al. and Belna teach the limitations of claim 21 above, they do not teach using a separate conveying system. Lin et al. teaches a wafer processing facility comprising:

at least two stocking devices (30) each with an input/output of port;

a first overhead transport system for moving wafer containers (44) about the facility;

a second transport system (52) for moving containers between the stockers;

wherein said first transport system comprises a vehicle (36) that runs along a first track system (38);

wherein the second transport system has a means for aligning a container held by either transport system with the opposing transport system;

wherein the two transport sections are parallel at portions of their runs. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the device taught by Bonora et al. and Belna with a secondary transport system as taught by Lin et al. in order to alleviate bottlenecks in the delivery system without having to resort to a series of expensive stockers.

Allowable Subject Matter

Claim 11 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. The closest prior art of Belna does not teach or suggest placing crosswise magnets on the carrier such that the carrier may be moved along two different axes.

The prior art made of record and not relied upon, but considered pertinent to applicant's disclosure is: Miller 1995, Murata et al. 1995, Nulman 2003, lizuka 2005, Mizokawa et al. 2005and Mariano et al. 2006.

Application/Control Number: 10/697,528 Page 10

Art Unit: 3652

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles A. Fox whose telephone number is 571-272-6923. The examiner can normally be reached between 7:00-4:00 Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen D. Lillis can be reached at 571-272-6928. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

() mm affet 3-3-06 Charles A. Fox

Examiner Art Unit 3652